						Sheet <u>1</u>	_ of1_
FORM PTO-1	449 U.S. DEPARTME PATENT AND TI			ATTY. DOCI ABGX-2 CIP		SERIAL 09/375,9	
TP	E ATTEMENT BY APP			APPLICANT Michael Gall		· · · · · · · · · · · · · · · · · · ·	
O MAL	4 2002 E	LICANT		FILING DATE Augsut 17, 1999		GROUP 1643	
2		U.S. PATE	ENT DOCUME	NTS			
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	1	DATE F PRIATE
MÚ	6,277,375 B1	08/21/01	Ward				
						l	
		FOREIGN PA	ATENT DOCUI	MENTS		TOANS	LATION
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
.			<u> </u>		_		
	OTHER DOCUME	NTS (Including	Author Title	Date Pertinen	t Pages Etc.)	<u> </u>	L
EXAMINER INITIAL	OTHER DOCUMEN		1 July 1				
MJ	Medesan et al., "Delineat Mouse IgG1," Journal of	ion of the Ami	no Acid Residu	es Involved in			m of
	West et al., "Crystal Struc Histocompatibility Comple	cture and Imm ex-Related Re	unoglobulin G ceptor," <i>Bioche</i>	Binding Prope Emistry 2000, v	rties of the Huma ol. 39: pp. 9698-	n Major 9708.	
$\sqrt{}$	Zuckier et al., "Chimeric I Demonstrate that Multiple 3908 (September 1, 1998	Domains cor	e IgG Antibodie ntribute to <i>in Vi</i>	s with Shuffled o Half-Life," (d Constant Region Cancer Research	n Exons vol. 58: pp	. 3905-
							
		 					
 .							
							
						···	
	<u> </u>						
				<u> </u>			

EXAMINER

M. E. Jamon

DATE CONSIDERED 4/23/02

- FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. AGBX-2 CIP

SERIAL NO. 09/375,924

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

APPLICANT
Michael Gallo et al.

FILING DATE August 17, 1999

GROUP 1643

U.S.	PATENT	DOCU	IMENTS

AMINER	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
MJ	4,399,216	08/1983	Axel et al.	435	6	,
	4,740,461	04/1988	Kaufman	435	68	
	4,912,040	03/1990	Kaufman et al.	435	69.6	
	4,959,455	09/1990	Clark et al.	530	351	
	5,151,510	09/1992	Stec et al.	536	27	
	5,545,806	08/1996	Lonberg et al.	800	2	
	5,545,807	08/1996	Surani et al.	800	2	
	5,625,825	04/1997	Rostoker et al.	395	730	
—	5,739,277	04/1998	Presta et al.	530	326	

FOREIGN PATENT DOCUMENTS

EXAMINER			ATENT BOOK			TRANSLATION	
INITIAL	DOCUMENT NUMBER	DATE .	COUNTRY	CLASS	SUBCLASS	YES	NO
	EP 0 463 151 B1	06/1996	Europe				
	EP 0 770 628 A	05/1997	Europe				
	WO 91/08298	06/1991	WIPO				
	WO 92/03918	03/1992	WIPO				
	WO 92/22645	12/1992	WIPO				
	WO 93/12227	06/1993	WIPO			<u> </u>	
MEJ	WO 93/22332	11/1993	WIPO				
	WO 94/02602	02/1994	WIPO				
	WO 94/04689	03/1994	WIPO				
	WO 94/25585	11/1994	WIPO				
	WO 96/08512	03/1996	WIPO				
	WO 96/18412	06/1996	WIPO				
MEJ	WO 96/32478	10/1996	WIPO		 		
	WO 96/33735	10/1996	WIPO				
	WO 96/34096	10/1996	WIPO				
	WO 97/34631	09/1997	WIRO				
MEJ	WO 97/43316	11/1997	WIPO			<u> </u>	I

EXAMINER

M. E. Gamon

DATE CONSIDERED

ATTY, DOCKET NO. SERIAL NO. **FORM PTO-1449** U.S. DEPARTMENT OF COMMERCE AGBX-2 CIP 09/375,924 PATENT AND TRADEMARK OFFICE **APPLICANT** INFORMATION DISCLOSURE Michael Gallo et al. STATEMENT BY APPLICANT FILING DATE GROUP August 17, 1999 1643 FOREIGN PATENT DOCUMENTS TRANSLATION DOCUMENT NUMBER DATE COUNTRY CLASS **SUBCLASS** INITIAL YES NO WO 97/44362 11/1997 **WIPO** WO 98/24884 06/1998 **WIPO** WO 98/24893 06/1998 **WIPO** WO 98/31820 07/1998 **WIPO** OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) **EXAMINER** INITIAL Anand et al., "Construction of yeast artificial chromosome libraries with large inserts using fractionation by pulsed-field gel electrophoresis," Nucl. Acids Res. 17:3425-3433 (1989) Artandi et al. "Monoclonal IgM rheumatoid factors bind IgG at a discontinuous epitope comprised of amino acid loops from heavy-chain constant-region domains 2 and 3", Proc Natl Acac Sci USA 89:94-MS 98 (1992) Berman et al. "Content and organization of the human lg VH locus: definition of three new VH families and linkage to the Ig C_H locus." EMBO J. 7:727-738 (1988) Bowie et al., "A method to identify protein sequences that fold into a known three-dimensional structure," Science 253:164 (1991) Brambell et al., "A theoretical model of γ-Globulin Catabolism," Nature 203:1352-1355 (1964) Brambell, "The transmission of immunity from mother to young and the catabolism of immunoglobulins," The Lancet I1:1087-1093 (1966) Brezinschek et al., "Analysis of the heavy chain repertoire of human peripheral B-cells using single-cell polymerase chain reaction." J. Immunol. 155:190-202 (1995) Brownstein et al., "Isolation of single-copy human genes from a library of yeast artificial chromosome clones." Science 244:1348- 1351 (1989) Bruggeman et al., "A repertoire of monoclonal antibodies with human heavy chains from transgenic mice," PNAS USA 86:6709-6713 (1989) Bruggemann et al., "Generation of antibody repertoires in transgenic mice," Methods: A Companion to Methods in Enzymology, 2:159-165 (1991) Bruggemann et al., "Human antibody production in transgenic mice: expression from 100 kb of the human IgH locus." Eur. J. Immunol. 21:1323-1326 (1991) Bruggemann et al., "Strategies for expressing human antibody repertoires in transgenic mice, " Immunology Today: 17:391-397 (1996) Burmeister et al., Crystal structure of the complex of rat neonatal Fc receptor with Fc," Nature 372: CMM.E. Jamon 424/02 DATE CONSIDERED **EXAMINER**

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

SERIAL NO.

ATTY. DOCKET NO.

I ORIVI P 10-1	PATENT AND TRADEMARK OFFICE	AGBX-2 CIP	09/375,924					
611	INFORMATION DISCLOSURE	APPLICANT Michael Gallo et al.						
JAN 0 4 200	STATEMENT BY APPLICANT	FILING DATE August 17, 1999	GROUP 1643					
	OTHER DOCUMENTS (Including Author, Title	e, Date, Pertinent Pages, Etc.))					
EXAMINER NITIAL								
		Chen et al. "Immunoglobulin gene rearrangement in B-cell deficient mice generated by targeted deletion of the J _H locus" <i>International Immunology</i> 5:647-656 (1993)						
	Choi et al. "Transgenic mice containing a human heavy chain immunoglobulin gene fragment cloned in a yeast artificial chromosome" Nature Genetics 4:117-123 (1993) Chothia & Lesk, "Canonical structures for the hypervariable regions of immunoglobulins," J. Mol. Biol. 196:901-917 (1987)							
MJ	Chothia et al., "Conformations of immunoglobulin hypervariable regions," Nature 342:878-883 (1989).							
	Cook, G.P. and Tomlinson, I.M., "The human immunoglobulin V _H repertoire." <i>Immunology Today</i> 16:237-242 (1995)							
	Cox et al., "A directory of human germ-line Vx segments reveals a strong bias in their usage." Eur. J. Immunol. 24:827-836 (1994)							
	Dariavach et al., "The mouse IgH 3'-enhancer." Eur. J. Immunol. 21:1499-1504 (1991)							
	Den Dunnen et al., "Reconstruction of the 2.4 Mb human DMD-gene by homologous YAC recombination." Human MolecularGenetics 1:19-28 (1992)							
	Dima et al., "Effect of protein A and its fragment B on the catabolic and Fc receptor sites of IgG," Eur. J. Immunol. 13: 605 (1983)							
MJ	Ellerson et al., "Structure and function of immunoglobulin domains," J. Immunol. 116:510 (1976)							
	Evans et al., "Design of nonpeptidat ligands for a permed. Chem. 30:1229 (1987)	eptide receptor: cholecystokini	n antagonists," <i>J.</i>					
MJ	Fahey and Robinson, "Factors controlling serum y-globulin concentration," A.G. J Exp. Med 118: 845-868 (1963)							
	Fauchere, "Elements for the rational design of peptide drugs," J. Adv. Drug Res. 15:29 (1986)							
	Feeney, A.J. "Lack of N regions in fetal and neonatal mouse immunoglobulin V-D-J junctional sequences." J. Exp. Med. 172:137-1390 (1990)							
	Fishwild et al., "High-avidity human IgGkmonodonal antibodies from a novel strain of minilocus transgenic mice." Nature Biotech. 14:845-851 (1996)							
	Flanagan, J.G. and Rabbitts, T.H., "Arrangement of human immunoglobulin heavy chain constant region genes implies evolutionary duplication of a segment containing Y, ε, and α genes." Nature 300:709-713 (1982)							
	Fundamental Immunology Ch. 7 (Paul, W., ed., 2nd	led. Raven Press, N.Y. (1989))					
	Galfre, G. and Milstein, C., "Preparation of monoclowethods Enzymol. 73:3-46 (1981)	onal antibodies: strategies and	procedures."					

U.S. DEPARTMENT OF COMMERCE

EXAMINER

FORM PTO-1449

M. E. Jamoy

DATE CONSIDERED

4/24/02

FORM PTO-1449

JAN 0 4 2002

EXAMINED

GI

Bi

GI

GI

Kir

Gi

ep

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE

STATEMENT BY APPLICANT

ATTY. DOCKET NO. AGBX-2 CIP

SERIAL NO. 09/375.924

APPLICANT

Michael Gallo et al.

FILING DATE August 17, 1999 GROUP 1643

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Gemmild et al., "Protocols for pulsed field gel electrophoresis: Separation and detection of large DNA molecules," Advances in Genome Biology 1:217-251 (1992) Ghetie et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis," Nature Biotechnology 15:637 (1997) Ghetie and Ward, *EcRn: the MHC class I-related receptor that is more than an IgG transporter," Immunol Today 18:592-598 (1997) Gill et al., "Monoclonal agti-epidermal growth factor receptor antibodies which are inhibitors of epidermal growth factor binding and antagonists of epidermal growth factorstimulated tyrosine protein kinase activity." J. Biol. Chem. 259:7755 (1984) Green et al., "Antigen-specific human monoclonal antibodies from mice engineered with human Ig heavy and light chain YACs." Nature Genetics 7:13-21 (1994) Hermanson et al., "Rescue of end fragments of yeast artificial chromosomes by homologous recombination in yeast." Nucleic Acids Res. 19:4943-4948 (1991) Huber et al., "The human immunoglobulin'x locus. Characterization of the partially duplicated L regions." Eur. J. Immunol. 23:2860-2967 (1993) Humphrey and Fahey, "The metabolism of normal plasma proteins and gamma-myeloma protein in mice bearing plasma-cell tumors," J. Clin. Invest. 40:1696-1705 (1961) Immunoglobulin Genes pp. 259-274 (Honjo et al. eds., Academic Press Limited, San Diego, CA (1989) Jakobovits, A., "Humanizing the mouse genome." Current Biology 4:761-763 (1994) Jakobovits, A. et al., "Germ-line transmission and expression of a human-derived yeast artificial-chromosome." Nature 362:255-258 (1993) Jakobovits, A. et al., "Analysis of homozygous mutant chimeric mice: Deletion of the immunoglobulin heavy-chain joining region blocks B-cell development and antibody production." Proc. Natl. Acad. Sci. USA 90:2551-2555 (1993) Jakobovits, A., "Production of fully human antibodies by transgenic mise." Current Opinion in Biotechnology 6:561-566 (1995) Junghans, "Finally! The brambell receptor (F_cR_B)," *Immunologic Res.* 16:29-57 (1997) Junghans and Waldmann, "Metabolism of Tac(IL2Rα): physiology of cell surface shedding and renal catabolism, and suppression of catabolism by antibody binding," J. Exp. Med 183, 1587-1602 (1996) Junghans et al., "The protection receptor for IgG catabolism is the β2-microglobulim-containing neonatal intestinal transport receptor," Proc Natl Acac Sci USA 93:5512-5516 (1996) Kawamoto et al., "Growth stimulation of A431 cells by epidermal growth factor: Identification of high affinity receptors for EGF by an anti-receptor monoclonal antibody." Proc. Nat. Acad. Sci., USA

EXAMINER

M.E. Jamen

80:1337-1341 (1983)

DATE CONSIDERED

4/24/02

			Sheet <u>5</u> of <u>9</u>
FORM PTO-1	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. AGBX-2 CIP	SERIAL NO. 09/375,924
185	INFORMATION DISCLOSURE	APPLICANT Michael Gallo et al.	
01,63	STATEMENT BY APPLICANT	FILING DATE August 17, 1999	GROUP 1643
JAN 0 4 2002	OTHER DOCUMENTS (Including Author, Title,	Date, Pertinent Pages, Etc.)	
XAMINER	7		
	Kim et al., "Gatabolism of the murine IgG1 molecule: are required for persistence of IgG1 in the circulation		
	Kim et al., "Evidence that the hinge region plays a remolecule," Mol Immunol 32:467-475 (1995)	le in maintaining serum levels o	of the murine IgG1
M	Kim et al., "Localization of the site of the murine IgG murine intestinal Fc receptor," Eur J. Immunol. 24:24		nding to the
	Kim et al., "Identifying amino acid residues that influe by site-directed mutagenesis," Eur. J. Immunol. 24:54	ence plasma clearance of murin	e IgG1 fragments
	Knauf et al., "Relationship of Effective Molecular Size Interleukin-2 Chemically Modified with Water-soluble		
	Kostelny et al., "Formation of a bispecific antibody by 148:1547-1553 (1992)	the use of leucine zippers," J. I	Immunol.
	LaPlanche et al., "Phosphorothioate-modified oligode spectroscopic studies of the Rp-Rp, Sp-Sp, and Rp-S		

diastereomeric O-ethyl phosphorothioates," Nucl. Acids Res. 14:9081 (1986)

Lonberg et al., "Antigen-specific human antibodies from mice comprising four distinct genetic

Lusti-Narasimhan et al., "Mutation of Leu 25 and Val 27 introduces CC chemokine activity into

immunoglobulin variable genes and design of family-specific oligonucleotide probes." Eur. J. Immunol.

Mason and Williams, "The kinetics of antibody binding to membrane antigens in solution and at the cell

Masson, "Elimination of infectious antigens and increase of IgG catabolism as possible modes of

Marks et al., "Oligonucleotide primers for polymerase chain reaction amplification of human

Matsuda et al., "Structure and physical map of 64 variable segments in the 3' 0.8-megabase region of the human immunoglobulin heavy-chain locus." Nature Genetics 3:88-94 (1993) Max. E., Molecular genetics of immunoglobulins, Fundamental Immunology, 315-382 (Paul, WE, ed., New York: Raven Press (1993) McFarlane, "The behavior of I¹³¹-labeled plasma proteins In Vivo," And NY Acad Sci 70:19-25 (1957) Medesan et al., "Delineation of the amino acid residues involved in transcytosis and catabolism of mouse IgG1¹," *J Immunol* 158:2211-2217 (1997)

EXAMINER

M. E. Jamor

modifications." Nature 368:856-859 (1994)

surface," Biochem J 187:1-20 (1980)

21:985-991 (1991)

interleukin-8." J. Biol. Chem. 270:2716-2721 (1995)

action of IVIg," J. Autoimmunity 6:683-689 (1993)

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449	9 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. AGBX-2 CIP	SERIAL NO. 09/375,924				
	INFORMATION DISCLOSURE	APPLICANT Michael Gallo et al.					
() [E	STATEMENT BY APPLICANT	FILING DATE August 17, 1999	GROUP 1643				
JAN 0 4 2002 8	OTHER DOCUMENTS (Including Author, Title	, Date, Pertinent Pages, Etc.)					
AMINER IN THE PARTY IN THE PART							
MJ I	Medesan et al., "Localization of the site of the IgG m n mice," <i>Eur. J. Immunol.</i> 26:2533-2536 (1996)	nolecule that regulates matern	ofetal transmission				
N y	Mendez et al., "Analysis of the structural integrity of veast and in embryonic stem cells." Genomics 26:29	YACs comprising human imm 94-307 (1995)	unoglobulin genes in				
N.	Mendez et al.,"A set of YAC targeting vectors for the interconversion of centric and acentric arms." Cold Spring Harbor Laboratory Press, Genome Mapping and Sequencing meeting, 163 (1993)						
	Mendez et al., "Functional transplant of megabase human immunoglobulin loci recapitulates human antibody response in mice", Nature Genetics 15:146-156 (1997)						
N s	Needleman and Wunsch, "A general method applicable to the search for similarities in the amino acid sequence of two proteins," J. Mol. Biol. 48:443 (1970)						
1	Nose and Wigzell, "Biological significance of carbohydrate chains on monoclonal antibodies," <i>Proc. Natl. Acad. Sci. USA</i> 80:6632 (1983)						
F	Pearson and Lipman, "Improved tools for biological (U.S.A.) 85:2444 (1988)	sequence comparison," Proc.	Natl. Acad. Sci.				
	Pollock et al., "Intravascular metabolism of normal a Eur. J. Immunol. 20:2021-2027 (1990)	and mutant mouse immunoglo	bulin molecules,"				
	Proc. Natl. Acad. Sci., "Construction and characteriz (1990)	ration of a yeast artificial chro	mosome," 87:4256				
	Raghavan et al., "Investigation of the interaction betommunoglobulin G ligand," <i>Immunity</i> 1:303-315 (199		Fc receptor and its				
	Raghavan et al., "Effects of receptor dimerization of histocompatibility complex-related Fc receptor and (1995)	n the interaction between the olgG," <i>Proc Natl Acac Sci USA</i>	class I major 92:11200-11204				
mJ !	Raghavan et al., "Analysis of the pH dependence of interaction using antibody and receptor variants," <i>Bi</i>	the neonatal Fc receptor/immochemistry 34:14649-14657 (*)	nunoglobulin G 1995)				
	Ray, S. and Diamond, B., "Generation of a fusion partner to sample the repertoire of Splenic B-cells destined for apoptosis." <i>Proc. Natl. Acad. Sci. USA</i> 91:5548-5551 (1994)						
1	Rizo and Gierasch, "Constrained peptides: models of Ann. Rev. Biochem. 61:387 (1992)		ein substructures,"				
	Sambrook et al., Molecular Cloning: A Laboratory M. Press, Cold Spring Harbor, N.Y. (1989)	lanual (2d ed., Cold Spring Ha	rbor Laboratory				
:	Sato et al., "Biological effects in vitro of monoclona receptors" Mol. Biol. Med. 1:511-529 (1983)	l antibodies to human epiderm	al growth factor				

EXAMINER

M.E. gamon

DATE CONSIDERED 4 24/02

FORM PTO-1449 ATTY, DOCKET NO. SERIAL NO. .U.S. DEPARTMENT OF COMMERCE 09/375,924 PATENT AND TRADEMARK OFFICE AGBX-2 CIP **APPLICANT** INFORMATION DISCLOSURE Michael Gallo et al. STATEMENT BY APPLICANT GROUP **FILING DATE** 1643 August 17, 1999 OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) INITIAL Schiestl, R.H. and Gietz, R.D., "High efficiency transformation of intact yeast cells using stranded nucleic acids as a carrier." Curr. Genet. 16:339-346 (1989) Segal et al., "The role of non-immune IgG in controlling IgG-mediated effector functions," Mol Immunol 20:1177-1189 (1983)\ Sell and Fahey, "Relationship between y-globulin metabolism and low serum y-globulin in germfree mice," J Immunol 93:81-87 (1964) Sell. "Evidence for species, differences in the effect of serum y-globulin concentration on yglobulin catabolism," J. Exp. Med. 120:967-986 (1964) Silverman et al., "Meiotic recombination between yeast artificial chromosomes yields a single clone containing the entire BCL2 prolooncogene." Proc. Natl. Acad. Sci. USA 87:9913-9917 (1990) Smith and Waterman, "Comparison of biosequences," Adv. Appl. Math. 2:482 (1981) Songsivilai & Lachmann, "Bispecific antibody: a tool for diagnosis and treatment of disease," Clin. Exp. Immunol. 79:315-321 (1990) Spiegelberg in 19 Advances in Immultology F. J. Dixon and H. G. Kinkel, eds. 259-294 (Academic Press, NY: 1974) Spiegelberg and Wiegle, "The catabolish of homologous and heterologous 7S gamma globulin fragments," J. Exp. Med. 121:323-338 (1965) Srivastava, A. and Schlessinger, D., "Vectors for inserting selectable markers in vector arms and human DNA inserts of yeast artificial chromosomes (YACs)." Gene 103:53-59 (1991) Stec et al., "Automated solid-phase synthesis separation, and stereochemistry of phosphorothioate analogues of oligodeoxy-ribonucleotides," J. Am. Chem. Soc. 106:6077 (1984) Stein et al., "Physicochemical properties of phosphorothioate oligodeoxynucleotides." Nucl. Acids Res. 16:3209 (1988) Tao and Morrison, "Role of carbohydrate in the structure and effector functions mediated by the human IgG constant region," J. Immunol. 143:2595 (1989) Taylor et al., "A transgenic mouse that expresses a diversity of human sequence heavy and light chain immunoglobulins." Nucleic Acids Research 20:6287-6295 (1992) Taylor et al., "Human immunoglobulin transgenes undergo rearrangement, somatic mutation and class switching in mice that lack endogenous IgM." International Irnmunology 6:579-591 (1994) Thornton et al., "Prediction of progress at last," Nature 354:105 (1991) Tuaillon et al., "Analysis of direct and inverted DJ_H rearranger nents in a human Ig heavy chain transgenic minilocus" J. Immunol. 154:6453-6465 (1995) Tuaillon et al., "Human immunoglobulin heavy-chain minilocus recombination in transgenic mice: gene-segment use in m and y transcripts." Proc. Natl. Acad. Sci. USA 90:3720-3724 (1993) M.E Jamos DATE CONSIDERED 412402 **EXAMINER**

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 INFORMATION DISCLOSURE

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

STATEMENT BY APPLICANT

ATTY. DOCKET NO. AGBX-2 CIP

SERIAL NO. 09/375,924

APPLICANT

Michael Gallo et al.

FILING DATE August 17, 1999 **GROUP** 1643

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

XAMINER NITIAL	
	Uhlmann and Peyman, "Antisense Oligonucleotides: A new therapeutic principle," Chemical Reviews 90:543 (1990)
	Vaughan et al., "Human antibodies with subnanomolar affinities isolated from a large non-irnmunized phage display library." Nature Biotech. 14:309-314 (1996)
Tim	Vaughn and Bjorkman, "Structural basis of pH-dependent antibody binding by the neonatal Fc receptor," Research Article, 63-73, 1998
	Vaughn and Bjorkman, "High-affinity binding of the neonatal Fc receptor to its IgG ligand requires receptor immobilization," Biochemistry 36: 9374-9380, 1997
	Veber and Freidinger, The design of metabolically-stable peptide analogs, Trends In NeuroScience p.392-396 (1985)
	Wagner et al., "The diversity of antigen-specific monoclonal antibodies from transgenic mice bearing human immunoglobulin gene minilosi," <i>Eur. J. Irnmunol.</i> 24:2672-2681 (1994)
	Waldman and Strober, "Metabolism of immunoglobulins," Progress in Allergy 13: 1-110, (1969)
	Waldmann and Ghetie, "Catabolism of Immunoglobulins," <i>Progress in Immunol.</i> 1:1187-1191 (Academic Press, New York: 1971)
	Waldmann and Jones, "The role of cell-surface receptors in the transport and catabolism of immuno- globulins," <i>Protein Turnover</i> 9:5-23 (1973)
MJ	Wallace and Rees, "Studies on the immunoglobulin-G Fc-Fragment receptor from neonatal rat small intestine," Biochem J 188: 9-16 (1980)
	Wawrzynczak et al., "Recombinant mouse monoclonal antibodies with single amino acid substitutions affecting C1q and high affinity Fc receptor binding have identical serum half-lives in the balb/c mouse," Molec. Immunol. 29:221-227 (1992)
	Wawrzynczak et al., "Blood clearance in the rat of a recombinant mouse monoclonal antibody lacking the N-linked oligosaccharide side chains of the C _H 2 domains," Mol. Immunol. 29:213-220 (1992)
	Weichhold et al., "The human immunoglobulin k locus consists of two copies that are organized in opposite polarity." <i>Genomics</i> 16:503-511 (1993)
	Wochner et al., "The role of the kidney in the catabolism of Bence Jones proteins and immunoglobuling fragments," J. Exp. Med. 126:207 (1967)
	Yamada, M. et al., "Preferential utilization of specific immunoglobulin heavy chain diversity and joinin segments in adult human peripheral blood B lymphocytes." J. Exp. Med. 173:395-407 (1991)
MT	Yasmeen et al., "The structure and function of immunoglobulin domains," J. Immunol. 116:518 (1976)
. 142	Zon et al., Oligonucleotides and Analogues: A Practical Approach, pp. 87-108 (F. Eckstein, Ed., Oxford University Press, Oxford England (1991)

EXAMINER

DATE CONSIDERED

SERIAL NO. ATTY. DOCKET NO. U.S. DEPARTMENT OF COMMERCE **FORM PTO-1449** 09/375,924 AGBX-2 CIP PATENT AND TRADEMARK OFFICE **APPLICANT** INFORMATION DISCLOSURE Michael Gallo et al. STATEMENT BY APPLICANT **GROUP** FILING DATE JAN 0 4 2002 1643 August 17, 1999 OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) EXAMINER INITIAL Zon et al., "Phosphorothioate oligonucleotides: chemistry, purification, analysis, scale-up and future directions," Anti-Cancer Drug Design 6:539 (1991) Zuckier et al., "The use of severe combined immunodeficiency mice to study the metabolism of human immunoglobulin G," Cancer 73:794-799 (1994) Zuckier et al., "Immunologic and pharmacologic concepts of monoclonal antibodies," Semin. Nucl.

EXAMINER

M.E. Jamoy

Med. 19:166-186 (1989)

DATE CONSIDERED 42402